

2MP STARLIGHT

HYU-508

HD-TVI TURBO HD STARLIGHT BULLET CAMERA WITH SMART IR OF 40 M FOR OUTDOORS.

2MP CMOS. HDTV video output. 2,8 ~ 12 mm (103°~32,1°) motorized lens with autofocus. ICR filter. OSD, ATW/MWB, AGC, BLC, HLC, real WDR 120dB, 3D-DNR, mirror mode, brightness and sharpness adjustment, motion detection and privacy mask. IP67. 3AXIS bracket. 12V DC.



HYU- 509

HDTV DOME STARLIGHT WITH SMART IR OF 40 M FOR OUTDOORS.

2MP CMOS. HDTV video output. 2,8 ~ 12 mm (103°~32,1°) motor lens with autofocus. ICR filter. OSD, ATW/MWB, AGC, BLC, HLC, real WDR 120dB, 3D-DNR, mirror mode, sharpness and brightness adjustment, motion detection and privacy mask. IP67. 3AXIS. 12V DC.



HYU-573

HDTV DOME STARLIGHT WITH SMART IR OF 40 M, FOR OUTDOORS.

2MP CMOS. HDTV output. 2,8~12 mm (103°~32,1°) motorized lens with autofocus. ICR. OSD, ATW/MWB, AGC, BLC, HLC, real WDR 120dB, 3D-DNR, mirror mode, brightness and sharpness adjustment, motion detection and privacy mask. IP67. 3AXIS. 12V DC.



HYU-548

HDTVI DOME STARLIGHT WITH SMART IR OF 40 M FOR OUTDOORS.

2MP CMOS. HDTVI output. 2,8 ~ 12 mm (103°~32,1°) motorized lens with autofocus. ICR. OSD, ATW/MWB, AGC, BLC, HLC, real WDR 120dB, 3D-DNR, mirror mode, brightness and sharpness adjustment, motion detection and privacy mask. IP67. 3AXIS. 12V DC.



HYU-547

HD-TVI STARLIGHT WITH SMART IR OF 20 M, FOR INDOORS.

2MP CMOS. HDTVI video output. 2,8 ~ 12 mm motorized lens (103°~32,1°). ICR filter. OSD, ATW, AGC, BLC, WDR 120 dB, 3D-DNR, brightness, sharpness, mirror, motion detection and privacy mask. IP50. 3AXIS. 12V DC.



HYU-604

4 IN 1 VANDAL DOME PRO SERIES WITH SMART IR OF 60 M FOR OUTDOORS.

2MP CMOS. 4 in 1 output (HDCVI / HDTVI / AHD / 960H). 2,7~13,5 mm motorized varifocal lens (103°~32,1°). AGC, AWB, motion detection and privacy mask. Real WDR 120 dB , 3D-DNR, brightness, sharpness, mirror. IP67. IK10 3AXIS. 12V DC.



5MP STARLIGHT

HYU-489

4 IN 1 BULLET CAMERA PRO SERIES WITH SMART IR OF 40 M FOR OUTDOORS.

5MP CMOS. 4 in 1 output (HDCVI / HDTV / AHD / 960H). 2,7 ~ 13,5 mm motorized lens (95,7°~29,1°). ICR filter. OSD, ATW, MWB, AGC, BLC, digital WDR, 2D-DNR, brightness, sharpness, mirror. IP67. 3AXIS. DC12V.



HYU-490

4 IN 1 VANDAL DOME PRO SERIES WITH SMART IR OF 40 M, FOR OUTDOORS.

5MP CMOS. 4 in 1 (HDCVI/HDTV/AHD/960H). 2,7 ~ 13,5 mm (95,7°~29,1°) motorized lens with autofocus. ICR. 0,01 lux. OSD, AWB, AGC, BLC, digital WDR, DNR, brightness, sharpness, mirror. IP67, IK10. 3AXIS. 12V DC.



HYU-491

4 IN 1 DOME PRO SERIES WITH SMART IR OF 40 M FOR OUTDOORS.

5MP CMOS. 4 in 1 output (HDCVI / HDTV / AHD / 960H). 2,7 ~ 13,5 mm motorized lens (95,7°~29,1°). ICR filter. OSD, ATW, MWB, AGC, BLC, digital WDR, 2D-DNR, brightness, sharpness, mirror. IP67. 3AXIS. 12V DC.





Autoryzowany Dystrybutor
Hyundai Security
Eltrac System Sp. z o.o.
handel@ecsystem.pl

HYUNDAI
SECURITY

HYU-577

4 IN 1 DOME PRO SERIES WITH SMART IR OF 40 M FOR OUTDOORS.

5MP CMOS. 4 in 1 output (HDCVI / HDTV1 / AHD / 960H). 2,7 ~ 13,5 mm mototrized lens (95,7°~29,1°). ICR filter. OSD, ATW, MWB, AGC, BLC, digital WDR, 2D-DNR, brightness, sharpness, mirror. IP67. 3AXIS. 12V DC.

